



SUPERNOVA

Five star glamping

The Supernova, with its elegant and unique design, will set your site apart from all the rest. It attracts guests who might usually stay in a five-star boutique hotel but want to be closer to nature. This takes glamping to the next level!

This luxurious lodge is ideal for couples and families looking for an incredibly special experience, to create lasting memories.

The Supernova stands out with its unique design. It comes complete with a spacious living veranda, luxury bathroom, fully-equipped kitchen and three bedrooms. One of the bedrooms is a master bedroom upstairs with a veranda, offering the perfect spot for your guests to relax.

- ✔ Impressive design and size to offer your guests something unique
- ✔ Luxury and space to create the feeling of a five-star boutique hotel
- ✔ Perfect for families with older children or a large group of friends
- ✔ Three bedrooms and two separate bathrooms for extra comfort



FLOORPLAN SUPERNOVA


Dimensions

<i>Main floor</i>	
Inner Tent	70,49 m ²
Veranda	56,89 m ²
Total main floor	127,38 m ²
<i>Upper deck</i>	
Master bedroom	20,93 m ²
Veranda	9,70 m ²
Total upper deck	30,63 m ²
Total surface Romanov Residence	158,01 m ²
Footprint	498 m ²

Features

# Guests	6
# Bedrooms	3
Bathroom	2
Kitchen	Yes

Floorplan 3D



Floorplan 2D



PHOTOS SUPERNOVA



SPECIFICATIONS SUPERNOVA

Elements	Colour	Specifications	Technical standards
PVC Roof	Grey Beige Brown Green	UV and flame retardant PVC 650gr/m ² . The PVC is easy to clean and meets the stringent European, British and American fire regulations (M2, B1 and DIN 4102 standard).	BS 7837 DIN 4102 – Class B1 M2 Classification NFP 92-503 EN 13501-1 B-s3, d0 Total weight DIN and ISO 2286-2 – 650 gr/m ²
Flame retardant Polyester (FPTC420)	Any color	Flame retardant 420 gr/m ² . The fibers in this fabric provide extra security and protection. It is scorch, glow and spark resistant. Textile material that is flame retardant has an inhibiting effect on the occurrence of fire and slow fire spreading.	FPTC420 meets the following standards: Weight 420gr/m ² + 5% Standered width: 150 cm Tearing strenght: ±10% - Warp: 79N - Weft: 53N Tensile strength: ± 10% - Warp: 2800N/5 cm - Weft: 2232N/5 cm Watercolumn: ≥ 400mm Color fading level: GR6 ISO105B04-1994 Mildewtreated: Level 0 AATCC30-2017 Fireproof level: M2 BS7837-1996
Fixing		The inner tent hanging system is a unique system. It has no point loading, so the weight is equally distributed across the surface of the structure.	

Why choose us?

It's all in the detail. Our beautiful, sustainable glamping tents are not mass produced, but are created by a team of specialists with a passion for outdoor living. We personally manage every aspect, from the initial concept and product design, to the sourcing of eco-friendly materials and construction, to quality control. And it doesn't stop there, we provide ongoing service and support, long after you bought your tent or lodge.

Interested?

Get in touch to find out more about our tents, or come and see them for yourself. Email us on sales@yalacanvaslodges.com and we'll get right back to you or call us on +31 (0) 527 620 325.

